



# Lisieux Catholic Primary School

## Anaphylaxis Policy

Lisieux Catholic Primary School is a school which operates with the consent of the Catholic Archbishop of Melbourne and is owned, operated and governed by Melbourne Archdiocese Catholic Schools Ltd (MACS).

### Introduction

Lisieux Catholic Primary School seeks to facilitate the safe participation of all students in the educational experiences offered by the school. Where students are known to be at risk of anaphylaxis, parents/guardians/ carers are required to provide relevant information to the school to enable us to carry out our duty of care obligations.

Our school requires the active engagement of parents/guardians/carers in the provision of up to date to Anaphylaxis Management Plans (ASCIA Action Plan) that comply with [Ministerial Order 706: Anaphylaxis Management in Victorian schools](#) and school boarding premises (Ministerial Order 706) for each student diagnosed with a medical condition that relates to allergy and the potential for anaphylactic reaction.

The processes at Lisieux Catholic Primary School reflect the associated guidelines published by the Victorian government to support implementation of Ministerial Order 706 in all Victorian schools. The school's processes are documented in the procedures for the management of anaphylaxis in line with the Anaphylaxis Policy for MACS Schools.

### Purpose

This policy ensures that Lisieux Catholic Primary School provides, as far as practicable, a safe and supportive environment in which students at risk of anaphylaxis are provided with reasonable adjustments for their participation in school programs and activities.

### Scope

This policy applies to:

- staff, including volunteers and casual relief staff
- all students who have been diagnosed as at risk of anaphylaxis or who may require emergency treatment for anaphylactic reaction
- parents/guardians/carers of students who have been diagnosed as at risk of anaphylaxis or who may require emergency treatment for anaphylactic reaction.

### Principles

The following principles underpin this policy:

- Lisieux Catholic Primary School principal and staff are responsible in ensuring the safety and wellbeing of all students in the school environment.

The principal and all staff work with parents/guardians/carers to ensure, as far as practicable, that the needs of children at risk of anaphylaxis will be considered, mitigated, and minimised during school activities.

- The principal and staff take reasonable steps to reduce and manage risks to students with anaphylaxis in the school environment and school approved activities.

### Policy

Lisieux Catholic Primary School engages with the parents/guardians/carers of students at risk of anaphylaxis to develop risk minimisation strategies and management strategies.

As reflected in Ministerial Order 706 and the school's Enrolment Agreement, parents/guardians/carers are required to provide the school with up-to-date medical information to enable the school to carry out its duty of care.

The principal is responsible for ensuring that an Individual Anaphylaxis Management Plan is developed in consultation with the student's parents/guardians/carers, for any student who has been diagnosed by a medical practitioner as having a medical condition that relates to allergy and the potential for an anaphylactic reaction, where the school has been notified of the diagnosis, which includes an action plan for anaphylaxis in a format approved by the ASCIA (otherwise known as an [ASCIA Action Plan for Anaphylaxis](#)).

Parents/guardians/carers are responsible for the provision of an updated ASCIA Action Plan with any relevant changes to the student's medical condition as it relates to their allergy and potential for anaphylactic reaction, signed by the treating medical practitioner, together with a recent photo of their child and any medications and autoinjectors referenced in the plan and recommended for administration. Parents/guardians/carers are also responsible for providing an up to date photo for the ASCIA Action Plan when it is reviewed. For overseas travel or travel involving flights, an [ASCIA Travel Plan for People at Risk of Anaphylaxis](#) is to be completed by a registered medical practitioner in conjunction with a red ASCIA Action Plan for Anaphylaxis.

Parent/guardians/carers must inform the school in writing if their child's medical condition changes, insofar as it relates to allergy and the potential for anaphylactic reaction, and if relevant, provide an updated ASCIA Action Plan.

Parents/guardians/carers are also responsible for replacing the recommended medication and/or autoinjectors prior to their expiry date.

The principal will ensure the storage and display of completed ASCIA Action Plans to facilitate access for staff e.g., in staff working areas, sick bay and class teacher manuals.

Parents/guardians/carers must participate in an annual Program Support Group (PSG) meeting to revise their child's anaphylaxis management plan and update the plan based on medical advice.

The principal will purchase additional adrenaline autoinjectors for general use. They will decide on the type or brand of adrenaline autoinjector that is purchased for general use. These will be stored in the sick bay/first aid room and/or in the school's portable first aid kit as required. A [First Aid Plan for Anaphylaxis](#) and emergency procedures are to be stored or posted with general use adrenaline injectors.

The principal must complete the Annual Anaphylaxis Risk Management Checklist for Schools at the start of each year to monitor the school's compliance with Ministerial Order 706.

The principal takes reasonable steps to ensure each Lisieux Catholic Primary School staff member has adequate knowledge and training about allergies, anaphylaxis, and the school's expectations in responding to an anaphylactic reaction. The principal is responsible for ensuring that all staff undertake and successfully complete appropriate training for anaphylaxis management in accordance with Ministerial Order 706. Lisieux Catholic Primary School will conduct twice yearly anaphylaxis management staff briefings including information set out by the Department of Education (DE) for use in Victorian schools, with one briefing at the commencement of the school year.

Procedures to implement this policy are documented below.

## Roles, responsibilities and reporting

Role	Responsibility	Reporting requirement (if applicable)
Principal	Maintain a register of students at risk of anaphylactic reaction	

Principal	Ensure adequate autoinjectors for general use are available in the school	
Principal	Ensure twice yearly briefings on anaphylaxis management are conducted, with one briefing held at the commencement of the school year	
Principal	Ensure staff have completed appropriate training and that adequate staff trained in anaphylaxis management are available for all school activities including off site activities and school approved activities outside school hours	
Principal	Ensure a communication plan is developed to provide information to all school staff, students, parents/guardians/carers about the school's policy and procedures for anaphylaxis management	
Principal	Ensure this policy is published and available to the school community	Annual attestation to the Executive Director
Anaphylaxis Supervisor or other staff member who has completed Anaphylaxis Management course successfully in past two years	Conduct twice yearly briefings for all staff on anaphylaxis management using the briefing template provided by the DE for use in schools	

## Procedures

### Communication with parents/guardians/carers for management information

The principal engages with the parents/guardians/carers of students at risk of anaphylaxis to develop risk minimisation strategies and management strategies. The principal will also take reasonable steps to ensure each staff member has adequate knowledge about allergies, anaphylaxis, and the school's expectations in responding to an anaphylactic reaction.

The principal requires that parents/guardians/carers provide up to date medical information and an updated Individual Action Plan (ASCIA Action Plan) signed by the treating medical practitioner together with a recent photo of their child and any medications and autoinjectors referenced in the plan and recommended for administration. Parents/guardians/carers are requested to provide this information annually, prior to camps and excursions, and if the child's medical condition changes since the information was provided.

### Individual Anaphylaxis Management Plans

The principal is responsible for ensuring that all students who have been diagnosed by a medical practitioner as having a medical condition that relates to allergy and the potential for anaphylactic reaction have an Individual Anaphylaxis Management Plan (IAMP) developed in consultation with the student's parents/guardians/carers.

Lisieux Catholic Primary School requires the IAMP to be in place as soon as practicable after the student is enrolled and where possible before their first day of school. An interim management plan will be put into place for a student who is diagnosed with anaphylaxis after enrolment at the school until the IAMP is developed. The principal or delegate will develop an interim plan in consultation

with parents/guardians/carers. Training and a briefing will occur as soon as possible after the interim plan is developed.

The IAMP will comply with Ministerial Order 706 and record:

- student allergies
- locally relevant risk minimisation and prevention strategies
- names of people responsible for implementing risk minimisation and prevention strategies
- storage of medication
- student emergency contact details
- student ASCIA Action Plans

The student's IAMP will be reviewed by the principal or their delegate, in consultation with the student's parents, in all the following circumstances:

- annually
- if the student's medical condition, insofar as it relates to allergy and the potential for anaphylactic reaction, changes
- as soon as practicable after the student has an anaphylactic reaction at school
- when the student is to participate in an off-site activity, such as camps and excursions, or at special events conducted, organised or attended by the school (e.g. class parties, elective subjects, cultural days, fetes, incursions).

Refer to – Individual Anaphylaxis Management Plan Template and Supporting documents section for the ASCIA Action Plan for Anaphylaxis

## Location of Individual Anaphylaxis Management Plans and ASCIA Action Plans

The principal communicates to staff the details of the location of student Individual Anaphylaxis Management Plans and ASCIA Action Plans within the school, during excursions, camps and special events conducted, organised, or attended by the school. Please note the [ASCIA Travel Plan for People at Risk of Anaphylaxis](#) requires completion by a registered medical practitioner for domestic or overseas travel.

- Individual Anaphylaxis Management Plans, ASCIA Action Plans and autoinjectors will be stored in the First Aid room and the school's portable first aid kit. Students' EpiPens along with additional spare EpiPens for general use are located in the first aid room and the portable first aid kits that are in each classroom.
- For camps, excursions and special activities, the staff member responsible for the activity is responsible for reviewing the medical management plans as a part of the planning and risk assessment prior to the activity being approved. A first aid supplies audit will be conducted to see if camp appropriate materials are packed. First Aid packs are checked by the first aid officer. Outings must have at least 2 x Level 2 qualified first aid trained adults attending. The day before the activity, the staff member in charge of the activity will again review the medical management plans and prepare and collect any medication required and prepare the first aid kits. Spare EpiPens and Asthma ventolin are carried in the green bags for all activities for camps and excursions
- The school will request that parents provide up-to-date and accurate medical information relating to students, including information about conditions such as anaphylaxis, asthma and diabetes. Parents will be requested to provide this information annually, prior to camps and excursions and if the child's medical condition has changed.

Refer to – Off-site Risk Management Checklist for Schools

## Risk minimisation and prevention strategies

The principal ensures that risk minimisation and prevention strategies are in place for all relevant in-school and out-of-school settings which include (but are not limited to) the following:

- during classroom activities (including class rotations, specialist and elective classes)

- between classes and other breaks
- in canteens
- during recess and lunchtimes
- before and after school where supervision is provided (excluding OSHC)
- special events including incursions, sports, cultural days, fetes or class parties, excursions and camps.

Lisieux Catholic Primary School does not ban certain types of foods (e.g., nuts) as it is not practicable to do so and is not a strategy recommended by the Department of Education (DE) or the Royal Children's Hospital. However, the school avoids the use of nut-based products in all school activities, request that parents do not send those items to school if possible and the school reinforces the rules about not sharing and not eating foods provided from home.

The principal will ensure that the canteen provider and its employees eliminate or reduce the likelihood of such allergens, can demonstrate satisfactory training in the area of food allergy and anaphylaxis and its implications for food-handling practices.

The principal regularly reviews the risk minimisation strategies outlined in *Risk minimisation strategies for schools* considering information provided by parents related to the risk of anaphylaxis.

Refer to – Risk minimisation strategies

Refer to – Annual Anaphylaxis Risk Management Checklist for Schools (Principal to complete)

## Register of students at risk of anaphylactic reactions

The principal nominates the Office Manager to maintain an up-to-date register of students at risk of anaphylactic reaction. This information is to be shared with all staff and accessible to all staff in an emergency.

Register of students with anaphylaxis

- The information that is recorded in the students with anaphylaxis register will be the students name, class, known allergen, symptoms, treatment, students ASCIA plan and medication storage and contact details..
- The register is located in the first aid room, in the green first aid bags in each classroom, in the student file on the schools management system.
- The office manager is responsible for maintaining and updating the register.

## Location, storage and accessibility of autoinjectors

It is the responsibility of the principal to purchase autoinjectors for the school for general use:

- as a back-up to autoinjectors that are provided for individual students by parents in case there is a need for an autoinjector for another student who has not previously been diagnosed at risk of anaphylaxis.

The principal determines the number of additional autoinjector(s) required. In doing so, the principal should take into account the following relevant considerations:

- the number of students enrolled at the school who have been diagnosed as being at risk of anaphylaxis including those with an ASCIA Action Plan for allergic reactions (they are potentially at risk of anaphylaxis)
- the accessibility of autoinjectors (and the type) that have been provided by parents of students who have been diagnosed as being at risk of anaphylaxis
- the number of locations at in the school, including in the school yard,
- The number and types of excursions, camps and special events conducted, organised or attended by the school

- The expiry date period of autoinjector brands. usually expire within 12–18 months

Lisieux Catholic Primary School provides *EpiPen®*, autoinjector to purchase for general use.

The autoinjectors are to be stored in the first aid room and in the green first aid bags in each classroom..

- *Adrenaline autoinjector devices be stored in a cool dark place at room temperature, which they define as 15 and 25 degrees Celsius.*
- *If these temperatures cannot be maintained, ASCIA recommends storing the device in an insulated wallet*

School anaphylaxis supervisors are responsible for informing school staff of the location for use in the event of an emergency.

## When to use an Autoinjector for general use

The principal ensures that autoinjectors for general use will be used under the following circumstances:

- a student's prescribed autoinjector does not work, is misplaced, misfires, has accidentally been discharged, is out of date or has already been used
- a student previously diagnosed with a mild or moderate allergy who was not prescribed an adrenaline injector has their first episode of anaphylaxis
- when instructed by a medical officer after calling 000
- first time reaction to be treated with adrenaline before calling.

*Note: if in doubt, give autoinjector as per ASCIA Action Plans. Please review [ASCIA First Aid Plan for Anaphylaxis \(ORANGE\)](#) and [ASCIA Adrenaline \(Epinephrine\) Injectors for General Use](#) for further information.*

## Emergency response to anaphylactic reaction

In an emergency anaphylaxis situation, the student's ASCIA Action Plan, the emergency response procedures in this policy and [ASCIA First Aid Plan for Anaphylaxis](#) must be followed.

The principal must ensure that when a student at risk of an anaphylactic reaction is under the care or supervision of the school outside normal class activities, such as in the school yard, on camps or excursions or at special events conducted, organised or attended by the school, there are sufficient staff present who have been trained in accordance with Ministerial Order 706.

All staff are to be familiar with the location and storage and accessibility of autoinjectors in the school, including those for general use.

The principal must determine how appropriate communication with school staff, students and parents is to occur in event of an emergency about anaphylaxis.

Copies of the [ASCIA First Aid Plan for Anaphylaxis](#) and emergency procedures are prominently displayed in the relevant places in the school, for example, first aid room, classrooms and in/around other school facilities, including the canteen.

- A complete and up-to-date list of students identified at risk of anaphylaxis is located in the first aid room.
- Details of Individual Anaphylaxis Management Plans and ASCIA action plans are located in the first aid room and in the portable first aid bags in each classroom. The portable first aid bags containing spare EpiPens are taken for all activities (including off-site), camps, excursions and special events.
- Autoinjectors, including those for general use are stored at the correct temperature in the first aid room and in the portable first aid bags.
- Records of incidents, injuries and first aid treatment are documented. First aid records are retained within the school and in line with MACS policies for information recordkeeping, retention and disposal.



An incident report will be completed when first aid is administered. This report will be kept in the school and a copy provided for the parent / guardian / carer of the student.

Parents / guardians / carers are notified as soon as possible if required to collect an ill or injured student from the school. When a parent / guardian / carer cannot be contacted, the principal will contact the emergency contact nominated by the parent / guardian / carer.

Refer to - Emergency Response to Anaphylactic Reaction.

## Staff training

In compliance with Ministerial Order 706, it is recommended that all Victorian school staff undertake one of three accredited training options.

**Option 1.** All school staff complete the online *ASCIA Anaphylaxis e-training for Victorian Schools* and have their competency in using an autoinjector tested by the school Anaphylaxis Supervisor in person within 30 days of completing the course. The school Anaphylaxis Supervisor will have completed Course in Verifying the Correct Use of Adrenaline Injector Devices 22579VIC – at no cost for Victorian Catholic schools from HERO HQ. Staff are required to complete the ACSIA online training every two years.

**Option 2.** School staff undertake face-to-face training Course in First Aid Management of Anaphylaxis 22578VIC. Accredited for three years.

**Option 3.** School staff undertake face-to-face training Course in Allergy and Anaphylaxis Awareness 10710NAT. Accredited for three years.

Lisieux Catholic Primary School requires all staff to participate in training to manage an anaphylaxis incident. The training should take place as soon as practicable after a student at risk of anaphylaxis enrolls and, where possible, before the student's first day at school.

Staff undertake training to manage an anaphylaxis incident if they:

- conduct classes attended by students with a medical condition related to allergy and the potential for anaphylactic reaction
- are specifically identified and requested to do so by the principal based on the principal's assessment of the risk of an anaphylactic reaction occurring while a student is under that staff member's care, authority or supervision.

Lisieux Catholic Primary School considers where appropriate whether casual relief teachers and volunteers should also undertake training.

Lisieux Catholic Primary School staff are to:

- successfully complete an approved anaphylaxis management training course in compliance with Ministerial Order 706
- participate in the school's twice yearly briefings conducted by the school's anaphylaxis supervisor or another person nominated by the principal, who has successfully completed an approved anaphylaxis management training program in the past two years.

A range of training programs are available, and the principal determines an appropriate anaphylaxis training strategy and implement this for staff. The principal ensures that staff are adequately trained and that enough staff are trained in the management of anaphylaxis noting that this may change from time to time dependant on the number of students with IAMPs.

The principal is to identify two staff per school or campus to become school anaphylaxis supervisors.

The school anaphylaxis supervisors are James Flint, (Deputy Principal) and Simone McEwan.

A key role undertakes competency checks on all staff who have successfully completed the ASCIA online training course. To qualify as a school anaphylaxis supervisor, the nominated staff members need to complete an accredited short course that teaches them how to conduct a competency

check on those who have completed the online training course e.g., Course in Verifying the Correct Use of Adrenaline Injector Devices 22579VIC. At the end of the online training course, participants who have passed the assessment module are issued a certificate which needs to be signed by the school anaphylaxis supervisor to indicate that the participant has demonstrated their competency in using an adrenaline autoinjector device.

School staff who complete the online training course are required to repeat that training and the adrenaline autoinjector competency assessment every two years.

Hero HQ has been contracted by the Catholic Education Commission of Victoria Ltd to deliver training in the Course in Verifying the Use of Adrenaline Injector Devices 22579VIC at no cost to Catholic schools. Training in this course is current for three years.

Lisieux Catholic Primary School notes that Course in First Aid Management of Anaphylaxis 22578VIC and Course in Allergy and Anaphylaxis Awareness 10710NAT are face-to-face courses that comply with the training requirements outlined in Ministerial Order 706. School staff who have completed these courses will have met the anaphylaxis training requirements for the documented period.

## Twice Yearly Staff Briefing

The principal ensures that twice yearly anaphylaxis management briefings are conducted, with one briefing held at the start of the year. The briefing is to be conducted by the school anaphylaxis supervisor or another staff member who has successfully completed an Anaphylaxis Management Course in the previous two years. The school use the Anaphylaxis Management Briefing Template provided by the Department of Education for use in Victorian schools. A facilitator guide and presentation for briefings created by Department of Education is available in the resources section of the procedures.

The briefing includes information about the following:

- The school's legal requirements as outlined in Ministerial Order 706
- the school's anaphylaxis management policy
- causes, signs and symptoms of anaphylaxis and its treatment
- names and pictures of students at risk of anaphylaxis, details of their year level, allergens, medical condition and risk management plans including location of their medication
- relevant anaphylaxis training
- ASCIA Action Plan for Anaphylaxis and how to use an autoinjector, including practising with a trainer autoinjector
- the school's general first aid and emergency responses
- location of and access to autoinjectors that have been provided by parents or purchased by the school for general use.

All school staff should be briefed on a regular basis about anaphylaxis and the school's anaphylaxis management policy.

- It is expected that all staff at Lisieux Catholic Primary be briefed twice a year about the students with anaphylaxis. This will be presented during a staff meeting at the start of the school year and at the start of semester two. School staff will also be required to undertake a face-to-face training Course in First Aid Management of Anaphylaxis 22578VIC.
- The Anaphylaxis supervisor and the office manager will be responsible for maintaining staff training records.
- The Anaphylaxis supervisor at St Catherine of Siena Catholic Primary School is Allison Wedding (Deputy Principal.)

## Anaphylaxis communication plan

The principal is responsible for ensuring that a communication plan is developed to provide information to all school staff, students and parents/guardians/carers about anaphylaxis and the school's anaphylaxis management policy.



This communication plan will include strategies and practices for communicating with school staff, students and parents/guardians/carers. The communication plan will be made available on the schools website and in the schools policy library.

Practices within the school include:

- Raising staff awareness – arrangements for twice yearly briefing, regular briefings, induction of new staff, CRT staff, etc.
- Raising student awareness – Use of fact sheets, posters with messages about anaphylaxis, peer support, etc.
- Working with parents – developing open, cooperative relationships with parents/guardians/carers, The school will request that parents provide up-to-date and accurate medical information relating to students, including information about conditions such as anaphylaxis, asthma, diabetes, epilepsy, etc. Parents will be requested to provide this information annually, prior to camps and excursions and if the child's medical condition has changed.
- Methods for raising school community awareness – Parents are regularly reminded to update their child's medical information via the schools newsletter, email/SMS, facebook and PAM.

This communication plan includes strategies for advising school staff, students and parents/guardians/carers about how to respond to an anaphylaxis reaction of a student in various environments:

- during normal school activities, including in a classroom, in the school yard, in all school buildings and sites including gymnasiums and halls
- during off-site or out of school activities, including on excursions, school camps and at special events conducted, organised or attended by the school.

The Communication Plan I includes procedures to inform volunteers and casual relief staff of students who are at risk of anaphylaxis and of their role in responding to an anaphylactic reaction experienced by a student in their care.

The principal ensures that the school staff are adequately trained by completing an approved training course:

- Course in First Aid Management of Anaphylaxis 22578VIC every 3 years.

AND provision of

- an in-house briefing for school staff at least twice per calendar year in accordance with Ministerial Order 706.

This policy is publicly available/ published on the school's website

## Definitions

### **Anaphylaxis**

Anaphylaxis is a severe, rapidly progressive allergic reaction that is potentially life threatening. The most common allergens in school aged children are peanuts, eggs, tree nuts (e.g., cashews), cow's milk, fish and shellfish, wheat, soy, sesame, lupin and certain insect stings (particularly bee stings).

### **Anaphylaxis Guidelines (Guidelines)**

A resource for managing severe allergies in Victorian schools, published by the Department of Education (DE) for use by all schools in Victoria and updated from time to time.

### **Australasian Society of Clinical Immunology and Allergy (ASCIA)**

The peak professional body of clinical immunology and allergy in Australia and New Zealand.

### Autoinjector

An adrenaline autoinjector device, approved for use by the Australian Government Therapeutic Goods Administration, which can be used to administer a single pre-measured dose of adrenaline to those experiencing a severe allergic reaction (anaphylaxis).

### Department of Education (DE)

Victorian Department of Education.

### Melbourne Archdiocese Catholic Schools Ltd (MACS)

MACS is a reference to Melbourne Archdiocese Catholic Schools Ltd, and / or its subsidiaries, MACSS and/or MACSEYE (*as the context requires*).

### Melbourne Archdiocese Catholic Specialist Schools Ltd (MACSS)

Melbourne Archdiocese Catholic Specialist Schools Ltd, a wholly owned subsidiary of MACS established to conduct and operate specialist schools.

### Ministerial Order 706

Ministerial Order 706: Anaphylaxis Management in Victorian Schools which outlines legislated requirements for schools and key inclusions for their Anaphylaxis Management Policy.

## Related policies and resources

### Supporting documents

Lisieux Catholic Primary School Individual Anaphylaxis Management Plan – Template

Risk Minimisation Strategies for Schools – Template

Lisieux Catholic Primary School Emergency Response to Anaphylactic Reaction – Sample – Template for Schools

Lisieux Catholic Primary School Off-site Risk Management Checklist for Schools – Template

Annual Anaphylaxis Risk Management Checklist for Schools – Template

### Related MACS policies

Anaphylaxis Policy for MACS schools

Duty of Care Policy for MACS schools

Emergency Management Plan

First Aid Policy

### Resources

[Department of Education Victoria Anaphylaxis Guidelines](#)

[Department of Education Victoria Anaphylaxis Management Briefing presentation](#)

[Department of Education Victoria Facilitator guide for anaphylaxis management briefing](#)

[ASCIA Action Plans and First Aid Plans for Anaphylaxis or Allergies](#)

[ASCIA Action Plans for Anaphylaxis \(General, Anapen, Epipen\)](#)

[ASCIA First Aid Plan for Anaphylaxis \(General, Anapen, Epipen, Pictorial\)](#)

[ASCIA Travel Plan](#)

[ASCIA Anaphylaxis e-training for Victorian schools](#)

[ASCIA Adrenaline \(Epinephrine\) Injectors for General Use](#)

## Policy information table

Approving Authority	Executive Director with notification to MACS Board
Approval date	October 2023
Date of next review	March 2025
Publication details	School Website